

**Gulf Lite Charcoal Starter**

-----SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION-----

Product Identifier : Gulf Lite Charcoal Starter  
General Use : \*  
Product Description: \*  
Trade Name/Chemical Family/Synonyms:  
Gulf Lite Charcoal Starter/\*Aliphatic hydrocarbon mixture

MANUFACTURER:	EMERGENCY TELEPHONE NUMBERS:
Reckitt & Colman Household Products	Health 800-338-5157
P.O.Box 941	Transportation 800-424-9300
Wayne, NJ 07474-0941	CHEMTREC 800-424-9300
201-533-6700	

-----SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENT(S)-----

Components	Wt. %	CAS Registry #
Aliphatic hydrocarbon mixture	100%	64742-48-9

OSHA HAZARDOUS COMPONENT(S) (29 CFR 1910.1200(d)):

Components	Hazard	OSHA STEL	OSHA PEL	ACGIH TLV	Supplier
Aliphatic hydrocarbon mixture	*	*	Not Est.	Not Est.	*

CHEMICAL/Common Name	CAS NO.
Aliphatic hydrocarbon mixture	64742-47-8

-----SECTION 3 - HAZARDS IDENTIFICATION-----

EMERGENCY OVERVIEW

Under this specific sub-heading, no information was provided.  
See other sections for provided hazard information.

POTENTIAL ACUTE HEALTH EFFECTS

INHALATION:

Inhalation toxicity not determined. May cause headache, dizziness, nausea, unconsciousness.

EYE CONTACT:

Not an eye irritant.

SKIN CONTACT:

Not a primary skin irritant.

INGESTION:

Not orally toxic. However, may be aspirated into lungs if swallowed resulting in pulmonary edema and chemical pneumonitis. Signs and symptoms of over-exposure: Harmful or fatal if swallowed.

**Gulf Lite Charcoal Starter**

-----SECTION 3 - HAZARDS IDENTIFICATION (Continued)-----

POTENTIAL CHRONIC HEALTH EFFECTS:

This product has not been tested as a whole for chronic effects. No ingredient is a listed carcinogen(NTP, IARC, OSHA).

TARGET ORGANS:

Under this specific sub-heading, no information was provided.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

None known.

-----SECTION 4 - FIRST AID MEASURES-----

INHALATION:

Remove to fresh air.

EYE CONTACT:

Flush immediately with water. Remove contact lenses. Continue flushing for 15 minutes.

SKIN CONTACT:

Wash with soap and water.

INGESTION:

DO NOT induce vomiting. Call physician immediately.

NOTE TO PHYSICIANS:

Under this specific sub-heading, no information was provided.

-----SECTION 5 - FIRE FIGHTING MEASURES-----

Flashpoint( F) and Method : 140 F TCC  
Autoignition Temperature( F) : \*

FLAMMABLE LIMITS

Ingredient: \* LEL: \* UEL: \*

GENERAL HAZARD:

Under this specific sub-heading, no information was provided.

FIRE FIGHTING INSTRUCTIONS:

Water fog or spray may be used to cool exposed containers.

FIRE FIGHTING EQUIPMENT:

Under this specific sub-heading, no information was provided.

EXTINGUISHING MEDIA:

Foam : Yes Alcohol Foam: \* CO2 : Yes  
Dry Chemical: Yes Water : \* Other: \*

HAZARDOUS COMBUSTION PRODUCTS:

Under this specific sub-heading, no information was provided.

**Gulf Lite Charcoal Starter**

-----**SECTION 5 - FIRE FIGHTING MEASURES (Continued)**-----

NATIONAL FIRE PROTECTION ASSOCIATION:

NFPA Hazard Rating: 0-Insignificant 1-Slight 2-Moderate 3-High  
4-Extreme U-Unknown \*-No Information

Health : 1 Flammability : 2  
Reactivity : 0 Special : \*

SPECIAL INFORMATION:

Under this specific sub-heading, no information was provided.

-----**SECTION 6 - ACCIDENTAL RELEASE MEASURES**-----

In case of leakage or spillage: Soak up with absorbant material.  
Contain large spills.

-----**SECTION 7 - HANDLING AND STORAGE**-----

STORAGE TEMPERATURE ( F): \* STORAGE PRESSURE: \*

GENERAL:

Store away from heat or flame. Do not use on burning or glowing  
coals. Use outdoors only. Keep out of reach of children.

-----**SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION**-----

ENGINEERING CONTROLS:

Ventilation requirements: Use only in well ventilated area.

PERSONAL PROTECTION:

RESPIRATOR:

None required. Avoid frequent or prolonged contact with skin. Avoid  
prolonged or repeated breathing of vapor.

PROTECTIVE CLOTHING:

Under this specific sub-heading, no information was provided.

-----**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**-----

Vapor Pressure (mmHg) : 1mmHg @ 77 F pH at 100 % : Not Applicable  
Specific Gravity (Water=1) : 0.78 @ 80/80 F Odor : See Section 16  
Solubility in Water : Insoluble  
Freezing Point : Less than 32 F  
Evaporation Rate (BuAc=1) : \*  
Viscosity : \*  
Boiling Point ( F) : Approx. 350-510 F  
Appearance : Colorless mobile liquid  
Physical State : Liquid  
Vapor Density (Air=1) : >5  
Percent Volatile by Vol : 100%

**Gulf Lite Charcoal Starter**

-----**SECTION 10 - STABILITY AND REACTIVITY**-----

GENERAL:

Storage Stability: Stable

INCOMPATIBLE MATERIALS AND CONDITIONS TO AVOID:

None known.

HAZARDOUS DECOMPOSITION PRODUCTS:

CO2, smoke

-----**SECTION 11 - TOXICOLOGICAL INFORMATION**-----

Under this specific sub-heading, no information was provided.

CARCINOGENIC INFORMATION: \*

Product contains chemicals listed as carcinogen or potential carcinogens by:

IARC: No            NTP: No            OSHA: No            ACGIH: \*            Other: \*

-----**SECTION 12 - ECOLOGICAL INFORMATION**-----

Under this specific sub-heading, no information was provided.

-----**SECTION 13 - DISPOSAL CONSIDERATIONS**-----

Proper Disposal Method: Transport to secure landfill, approved incinerator, or other facility in accord with federal, state, and local law.

-----**SECTION 14 - TRANSPORT INFORMATION**-----

DOT (Department of Transportation)

Proper Shipping Name : \*  
Hazard Class : \*  
Identification Number : \*

-----**SECTION 15 - REGULATORY INFORMATION**-----

TSCA (Toxic Substance Control Act):

Under this specific sub-heading, no information was provided.

CERCLA

(Comprehensive Environmental Response Compensation, and Liability Act):

CERCLA (\*Superfund\*) Reportable Quantity: Not Applicable

SARA TITLE III (Superfund Amendments and Reauthorization Act):

311/312 Hazard Categories:

None

313 Reportable Ingredients:

Under this specific sub-heading, no information was provided.

**Gulf Lite Charcoal Starter**

-----**SECTION 15 - REGULATORY INFORMATION (Continued)**-----

CALIFORNIA PROPOSITION 65:

Under this specific sub-heading, no information was provided.

-----**SECTION 16 - OTHER INFORMATION**-----

Section 5: Flame extension: Not applicable

Section 9: Odor: Slight petroleum

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof.

REFERENCES:

Manufacturer's Material Safety Data Sheet  
Issue Date 4-29-92

-----**LEGENDS**-----

\* - Under this specific sub-heading, no information was provided.

THE INFORMATION PRESENTED RELATES TO THE SPECIFIC MATERIAL. IT MAY NOT BE VALID FOR THIS MATERIAL IF USED IN COMBINATION WITH ANY OTHER MATERIAL(S) OR IN ANY PROCESS. IT IS THE USER'S RESPONSIBILITY TO SATISFY THEMSELVES AS TO THE SUITABILITY AND COMPLETENESS OF THIS INFORMATION FOR THEIR OWN PARTICULAR USE.